PATENT ABSTRACTS OF JAPAN

(11) Publication number:

2003277262 A

(43) Date of publication of application: 02.10.2003

(51) Int. CI

A61K 31/4439

A61K 9/08, A61K 47/14, A61P 1/04

(21) Application number:

2002075138

(71) Applicant: TAKADA KANJI

(22) Date of filing:

18.03.2002

(72) Inventor: TAKADA KANJI

(54) **TECHNIQUE OF IMPROVING BIOAVAILABILITY OF LANSOPRASOLE**

reliably attain a therapeutically effective drug concen-

(57) Abstract:

PROBLEM TO BE SOLVED: To provide a novel oral preparation technique of enhancing the solubility and absorbability of lansoprasole in the digestive tract to tration in blood. SOLUTION: The preparation is prepared by formu-

lating lansoprasole with a mixture of a 6-18C fatty acid/glycerol ester with a 6-18C fatty acid/macrogol ester.

COPYRIGHT: (C)2004,JPO

DELPHION

PRODUCTS

Log Out Work Files Saves Searches My Account

Search: Quick/Number Boolean Advanced Derwent

Help

The Delphion Integrated View

Get Now: PDF | File History | Other choices

Tools: Add to Work File: Create new Work File

Add

View: INPADOC | Jump to: Top

Go to: Derwent

Email this to a friend

Title:

JP2003277262A2: TECHNIQUE OF IMPROVING BIOAVAILABILITY OF

LANSOPRASOLE

[★] Derwent Title:

Lansoprazole formulation for use as anticancer agent, contains lansoprazole and ester mixture of glycerol- and macrogol-ester of fatty acid, and has increased bioavailability in digestive tract after oral administration

[Derwent Record]

[®] Country:

JP Japan

A2 Document Laid open to Public inspection 1

[®]Inventor:

TAKADA KANJI;

S Assignee:

TAKADA KANJI

News, Profiles, Stocks and More about this company

Published / Filed:

2003-10-02 / 2002-03-18

JP2002000075138

Number: § IPC Code:

Advanced: A61K 9/08; A61K 31/4439; A61K 47/14; A61P 1/04;

Core: A61K 31/4427; A61P 1/00; more...

IPC-7: A61K 9/08; A61K 31/4439; A61K 47/14; A61P 1/04;

Priority Number:

2002-03-18 JP2002000075138

SAbstract:

PROBLEM TO BE SOLVED: To provide a novel oral preparation

technique of enhancing the solubility and absorbability of

lansoprasole in the digestive tract to reliably attain a therapeutically

effective drug concentration in blood.

SOLUTION: The preparation is prepared by formulating

lansoprasole with a mixture of a 6-18C fatty acid/glycerol ester with

a 6-18C fatty acid/macrogol ester. COPYRIGHT: (C)2004, JPO


None

🕏 Other Abstract

DERABS C2003-884852







Nominate this for the Gallery...



THOMSON

Copyright © 1997-2006 The Thomson Corporation

Subscriptions | Web Seminars | Privacy | Terms & Conditions | Site Map | Contact Us | Help



View **Image**

1 page

DELPHION

PRODUCTS

Log Out | Work Files | Saved Searches

My Account

Search: Quick/Number Boolean Advanced Derwent

Help

Add

Derwent Record

Email this to a friend

Tools: Add to Work File: Create new Work File

Lansoprazole formulation for use as anticancer agent, contains lansoprazole and ester mixture of glycerol- and macrogol-ester of fatty acid, and has increased bioavailability in

digestive tract after oral administration

[♠]Original Title:

JP2003277262A2: TECHNIQUE OF IMPROVING BIOAVAILABILITY OF LANSOPRASOLE

SAssignee:

TAKADA K Individual

None

View: Expand Details Go to: Delphion Integrated View

2003-884852 / 200382

Update:

§ IPC Code:

A61K 31/4439; A61K 9/08; A61K 47/14; A61P 1/04;

₱ Derwent Classes:

B02:

Manual Codes:

B04-C03(Polymers [general]), B06-D05(Heterocyclic fused ring with 2 rings

(5+6 membered) and two N), B10-G02(Carboxylic esters), B14-H01

(Anticancer general and other)

 ⊕ Derwent Abstract:

(JP2003277262A2) Novelty - Dissolution-absorption of lansoprazole in the digestive tract after oral administration is increased by adding ester mixture of glycerol ester of 6-18C fatty acid and macrogol

ester of 6-18C fatty acid with respect to lansoprazole.

ACTIVITY - Cytostatic. No test details are given.

MECHANISM OF ACTION - None given.

Use - As anticancer agent.

Advantage - By adding the ester mixture, lansoprazole is absorbed reliably from the formulation and bioavailability of lansoprazole is increased sharply. Laparotomy was performed in Wistar male rat with body weight of 350 plus or minus 25 g under pentobarbital anesthesia. Suspension containing 5 mg of lansoprazole in 1 ml of 0.5% carboxymethylcellulose was poured into duodenum of rat at a dose of 5 mg/kg. Blood samples were collected from jugular vein after 30 minutes and 1-6 hours, and concentration of lansoprazole in plasma was measured by high performance liquid chromatography. Lansoprazole concentration (micro g/ml) in plasma was 0.15 plus or minus 0.03 (after 30 minutes), 0.21 plus or minus 0.05 (after 1 hour), 0.26 plus or minus 0.03 (after 2 hours), 0.22 plus or minus 0.06 (after 3 hours), 0.16 plus or minus 0.05 (after 4 hours), 0.11 plus or minus 0.04 (after 5 hours) and 0.05 plus or minus 0.02 (after 6 hours). The gentamycin concentration in plasma after administering control formulation to rat was 0.05 plus or minus 0.01 (after 2 hours). All other plasma samples showed concentration, which was less than detection limit (0.02 micro g/ml) after 30 minutes, 1 hour and 3-6 hours.

Dwq.0/0

Family:

PDF Patent

Pub. Date Derwent Update Pages Language IPC Code

JP2003277262A2 * 2003-10-02

200382

English

A61K 31/4439

Local appls.:

Priority Number:

Application Number	Filed	Original Title

Lansoprazole formulation for use as anticancer agent, contains lansoprazole and ester mixture of glycerol... Page 2 of

JP2002000075138 2002-03-18 TECHNIQUE OF IMPROVING BIOAVAILABILITY OF LANSOPRASOLE

Show chemical indexing codes

§ Specific Compound

Show specific compounds

Compound Numbers: Related Accessions:

Accession Number	Type	Derwent Update	Derwent Title
C2003-252140	O		
1 item found			

Fitle Terms:

FORMULATION ANTICANCER AGENT CONTAIN ESTER MIXTURE GLYCEROL ESTER FATTY ACID INCREASE DIGEST TRACT AFTER ORAL ADMINISTER

Pricing Current charges

Derwent Searches: Boolean | Accession/Number | Advanced

Data copyright Thomson Derwent 2003

THOMSON

Copyright © 1997-2006 The Thomson Corporation

Subscriptions | Web Seminars | Privacy | Terms & Conditions | Site Map | Contact Us | Help